

UC978 U.S. PRO  
10/055741  
01/22/02

(For new non-provisional applications under 37 CFR § 1.53(b))

~~~~~

**Derrick Brown**

☐ Delete the following inventor(s) named in the prior non-provisional application:

JC541 U.S. PTO  
01/22/02

| Year | Number of cases | Number of deaths | Number of cases per 100,000 population | Number of deaths per 100,000 population | Number of cases per 100,000 population (95% CI) | Number of deaths per 100,000 population (95% CI) |
|------|-----------------|------------------|----------------------------------------|-----------------------------------------|-------------------------------------------------|--------------------------------------------------|
| 1990 | 100             | 10               | 10.0                                   | 1.0                                     | 10.0 (8.0-12.0)                                 | 1.0 (0.5-1.5)                                    |
| 1991 | 110             | 11               | 11.0                                   | 1.1                                     | 11.0 (9.0-13.0)                                 | 1.1 (0.6-1.6)                                    |
| 1992 | 120             | 12               | 12.0                                   | 1.2                                     | 12.0 (10.0-14.0)                                | 1.2 (0.7-1.7)                                    |
| 1993 | 130             | 13               | 13.0                                   | 1.3                                     | 13.0 (11.0-15.0)                                | 1.3 (0.8-1.8)                                    |
| 1994 | 140             | 14               | 14.0                                   | 1.4                                     | 14.0 (12.0-16.0)                                | 1.4 (0.9-1.9)                                    |
| 1995 | 150             | 15               | 15.0                                   | 1.5                                     | 15.0 (13.0-17.0)                                | 1.5 (1.0-2.0)                                    |
| 1996 | 160             | 16               | 16.0                                   | 1.6                                     | 16.0 (14.0-18.0)                                | 1.6 (1.1-2.1)                                    |
| 1997 | 170             | 17               | 17.0                                   | 1.7                                     | 17.0 (15.0-19.0)                                | 1.7 (1.2-2.2)                                    |
| 1998 | 180             | 18               | 18.0                                   | 1.8                                     | 18.0 (16.0-20.0)                                | 1.8 (1.3-2.3)                                    |
| 1999 | 190             | 19               | 19.0                                   | 1.9                                     | 19.0 (17.0-21.0)                                | 1.9 (1.4-2.4)                                    |
| 2000 | 200             | 20               | 20.0                                   | 2.0                                     | 20.0 (18.0-22.0)                                | 2.0 (1.5-2.5)                                    |
| 2001 | 210             | 21               | 21.0                                   | 2.1                                     | 21.0 (19.0-23.0)                                | 2.1 (1.6-2.6)                                    |
| 2002 | 220             | 22               | 22.0                                   | 2.2                                     | 22.0 (20.0-24.0)                                | 2.2 (1.7-2.7)                                    |
| 2003 | 230             | 23               | 23.0                                   | 2.3                                     | 23.0 (21.0-25.0)                                | 2.3 (1.8-2.8)                                    |
| 2004 | 240             | 24               | 24.0                                   | 2.4                                     | 24.0 (22.0-26.0)                                | 2.4 (1.9-2.9)                                    |
| 2005 | 250             | 25               | 25.0                                   | 2.5                                     | 25.0 (23.0-27.0)                                | 2.5 (2.0-3.0)                                    |
| 2006 | 260             | 26               | 26.0                                   | 2.6                                     | 26.0 (24.0-28.0)                                | 2.6 (2.1-3.1)                                    |
| 2007 | 270             | 27               | 27.0                                   | 2.7                                     | 27.0 (25.0-29.0)                                | 2.7 (2.2-3.2)                                    |
| 2008 | 280             | 28               | 28.0                                   | 2.8                                     | 28.0 (26.0-30.0)                                | 2.8 (2.3-3.3)                                    |
| 2009 | 290             | 29               | 29.0                                   | 2.9                                     | 29.0 (27.0-31.0)                                | 2.9 (2.4-3.4)                                    |
| 2010 | 300             | 30               | 30.0                                   | 3.0                                     | 30.0 (28.0-32.0)                                | 3.0 (2.5-3.5)                                    |
| 2011 | 310             | 31               | 31.0                                   | 3.1                                     | 31.0 (29.0-33.0)                                | 3.1 (2.6-3.6)                                    |
| 2012 | 320             | 32               | 32.0                                   | 3.2                                     | 32.0 (30.0-34.0)                                | 3.2 (2.7-3.7)                                    |
| 2013 | 330             | 33               | 33.0                                   | 3.3                                     | 33.0 (31.0-35.0)                                | 3.3 (2.8-3.8)                                    |
| 2014 | 340             | 34               | 34.0                                   | 3.4                                     | 34.0 (32.0-36.0)                                | 3.4 (2.9-3.9)                                    |
| 2015 | 350             | 35               | 35.0                                   | 3.5                                     | 35.0 (33.0-37.0)                                | 3.5 (3.0-4.0)                                    |
| 2016 | 360             | 36               | 36.0                                   | 3.6                                     | 36.0 (34.0-38.0)                                | 3.6 (3.1-4.1)                                    |
| 2017 | 370             | 37               | 37.0                                   | 3.7                                     | 37.0 (35.0-39.0)                                | 3.7 (3.2-4.2)                                    |
| 2018 | 380             | 38               | 38.0                                   | 3.8                                     | 38.0 (36.0-40.0)                                | 3.8 (3.3-4.3)                                    |
| 2019 | 390             | 39               | 39.0                                   | 3.9                                     | 39.0 (37.0-41.0)                                | 3.9 (3.4-4.4)                                    |
| 2020 | 400             | 40               | 40.0                                   | 4.0                                     | 40.0 (38.0-42.0)                                | 4.0 (3.5-4.5)                                    |

- ☐ The inventor(s) to be deleted are set forth on a signed sheet attached hereto.
5. ☐ The entire disclosure of the prior application referred to above is considered to be part of the accompanying application and is hereby incorporated by reference herein.
6. ☐ Microfiche Computer Program (Appendix)
7. ☐ Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)
- ☐ Computer Readable copy
- ☐ Paper Copy (identical to computer copy)
- ☐ Statement verifying identity of above copies
8. ☒ Assignment Papers
9. Power of Attorney
- ☒ Is attached.
- ☐ The power of attorney appears in the original papers of the prior application.
- ☐ Since the power does not appear in the original papers, a copy of the power in the prior application is enclosed.
10. ☐ Information Disclosure Statement (IDS)
- ☐ Copies of IDS Citations
11. Amendments
- ☐ A preliminary amendment is enclosed.
- ☐ Cancel in this application claim(s) \_\_\_\_\_ before calculating the filing fee. At least one independent claim is retained for filing purposes.
- ☐ Amend the specification by inserting before the first line the sentence: \_\_\_\_\_.
12. ☒ Return Receipt Postcard
13. Small Entity Status
- ☐ A small entity statement is enclosed.
- ☐ A small entity statement was filed in the prior non-provisional application and such status is still proper and desired.
- ☐ Is no longer claimed.
14. ☐ Priority of foreign application number \_\_\_\_\_, filed on \_\_\_\_\_ in \_\_\_\_\_ is claimed under 35 U.S.C. §§ 119(a)-(d)
15. ☐ Petition under 37 C.F.R. § 136 for Extension of Time
16. ☐ Other:

Address all future correspondence to:

Robert C. Kowert  
Conley, Rose, & Tayon, P.C.  
P.O. Box 398  
Austin, Texas 78767  
Phone: (512) 476-1400 Fax: (512) 703-1250

Signature

Name

Registration No.

Date

  
Robert C. Kowert

39,255

January 22, 2002

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

2

ss

so

20

ss

20

ss


202

20

2

§

8

  
Derrick Brown

Conley, Rose & Tayon, P.C.  
P.O. Box 398  
Austin, TX 78767-0398  
(512) 476-1400  
Date: January 22, 2002